stander labs™

CERTIFICATE OF ANALYSIS

LAB ID	LAB-2025-SX-1288	**DATE OF RECEIPT**	11/10/2025
ACCOUNT ENTITY	BRUTAL RX / BRX CLINICAL	**DATE OF ISSUANCE**	11/18/2025
REFERENCE METHOD	LC-MS/MS (ESI+)		

COMPOUND NAME	SEMAX 10mg	**BATCH NUMBER**	BRX-229410-SX
ASSAY (W/W%)	11.24 mg	**CHROMA PURITY**	99.93%
STRUCTURAL CONFIRMATION	SEMAX	**MORPHOLOGY**	White Lyophilized Powder

ANALYTICAL TESTING PERFORMED VIA HIGH-PERFORMANCE LIQUID CHROMATOGRAPHY (HPLC) COUPLED WITH ELECTROSPRAY IONIZATION MASS SPECTROMETRY (ESI-MS) FOR STRUCTURAL VERIFICATION AND PURITY ASSESSMENT.

ANALYSIS REPORT

MS ANALYSIS	ANALYTICAL RESULTS
SEMAX	99.93%

All analytical procedures were conducted under strict laboratory protocols using calibrated instrumentation. This document certifies that the chemical identity and purity of the sample have been verified via HPLC/MS. Any unauthorized alteration of this report voids the results.

VERIFICATION QR

SAMPLE IMAGE

BATCH ID	K44102933	**TECHNICAL SUPPORT**	CONTACT@STANDERLABS.COM